

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/008951

International filing date: 18 March 2005 (18.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US
Number: 60/557,788
Filing date: 30 March 2004 (30.03.2004)

Date of receipt at the International Bureau: 20 April 2005 (20.04.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

1307488



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

April 12, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/557,788

FILING DATE: *March 30, 2004*

RELATED PCT APPLICATION NUMBER: *PCT/US05/08951*



Certified by

Under Secretary of Commerce
for Intellectual Property
and Director of the United States
Patent and Trademark Office

Please type a plus sign (+) inside this box

+



PTO/SB/16 (02-01)

Approved for use through 10/31/2002. OMB 0851-0032
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53 (c).

INVENTOR(S)					
Given Name (first and middle (if any))		Family Name or Surname		Residence (City and either State or Foreign Country)	
Christopher J.		Caspers		33 Charles Street, Erskineville, NSW 2043, Australia	
<input checked="" type="checkbox"/> Additional inventors are being named on the 1 separately numbered sheet attached hereto.					
TITLE OF THE INVENTION (280 characters max)					
Wagering Game Providing Free Game Play As A Progressive Award					
Direct all correspondence to: CORRESPONDENCE ADDRESS					
<input checked="" type="checkbox"/> Customer Number 30223 Place Customer Number Bar Code Label here					
OR Type Customer Number here					
<input checked="" type="checkbox"/> Firm or Individual Name Daniel J. Burnham					
Address Jenkins & Gilchrist, P.C.					
Address 225 West Washington Street, Suite 2600					
City Chicago		State IL		ZIP 60606-3418	
Country USA		Telephone (312) 425-3900		Fax (312) 425-3909	
ENCLOSED APPLICATION PARTS (CHECK ALL THAT APPLY)					
<input checked="" type="checkbox"/> Specification Number of Pages		22		<input type="checkbox"/> CD(s), Number 	
<input checked="" type="checkbox"/> Drawing(s) Number of Sheets		5		<input type="checkbox"/> Other (specify) 	
<input type="checkbox"/> Application Data Sheet. See 37 CFR 1.76.					
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT (check one)					
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27.					
<input checked="" type="checkbox"/> A check or money order is enclosed to cover the filing fees.					
<input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number:					
				10-0447(47079-00254PL01)	
				160.00	
<input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.					
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.					
<input checked="" type="checkbox"/> No.					
<input type="checkbox"/> Yes, the name of the U.S. Government agency and the Government contract number are:					
Respectfully submitted,		Date		3/30/04	
SIGNATURE 		REGISTRATION NO. (Attorney/Agent)		39,618	
TYPED OR PRINTED NAME Daniel J. Burnham		Docket Number		47079-00254PL01	
TELEPHONE (312) 425-3900					
EXPRESS MAIL MAILING LABEL					
NUMBER: EL 831841197 US		Date: March 30, 2004			
I hereby certify that this paper or fee is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to Commissioner for Patents, Mail Stop Patent Application, P.O. Box 1450, Alexandria, VA 22313-1450.					
Signature 					
Typed Name Janet L. Newmaker					

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Commissioner for Patents, Washington, D.C. 20231.

22151 U.S. PTO 60/557788

033004

033004

21861 U.S. PTO

PROVISIONAL APPLICATION COVER SHEET
Additional Page

PTO/SB/16 (02-01)

Approved for use through 10/31/2002. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Docket Number		47079-00254PL01	Type a plus sign (+) inside this box →	+
INVENTOR(S)				
Given Name (first and middle (if any))	Family Name or Surname	Residence (City and either State or Foreign Country)		
Peter R.	Hopkins	17/29 Kensington Road, Kensington, NSW 2003, Australia		

Number 2 of 2

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

**PROVISIONAL APPLICATION FOR
UNITED STATES LETTERS PATENT**

for

**WAGERING GAME PROVIDING FREE GAME
PLAY AS A PROGRESSIVE AWARD**

by

**Christopher J. Caspers
Peter R. Hopkins**

EXPRESS MAIL MAILING LABEL	
EXPRESS MAIL NO.:	EL 831841197 US
DATE OF DEPOSIT:	March 30, 2004
I hereby certify that this paper or fee is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to: Commissioner for Patents, Mail Stop Patent Application, P.O. Box 1450, Alexandria, VA 22313-1450.	
Signature:	<u>Janet L. Newmaker</u>
	Janet L. Newmaker

**WAGERING GAME PROVIDING FREE GAME
PLAY AS A PROGRESSIVE AWARD**

FIELD OF THE INVENTION

[01] The present invention relates to gaming terminals and gaming systems and, in particular, to a progressive wagering game that allows a player to win free game play or free player selections in a progressive game when a player achieves a progressive award in a basic game.

BACKGROUND OF THE INVENTION

[02] Gaming machines, such as slot machines, video poker machines, and the like, have been a cornerstone of the gaming industry for several years. Generally, the popularity of such machines with players is dependent on the likelihood (or perceived likelihood) of winning money at the machine and the intrinsic entertainment value of the machine relative to other available gaming options. Where the available gaming options include a number of competing machines and the expectation of winning each machine is roughly the same (or believed to be the same), players are most likely to be attracted to the most entertaining and exciting of the machines.

[03] Consequently, shrewd operators strive to employ the most entertaining and exciting machines available because such machines attract frequent play and, hence, increase profitability to the operator. In the competitive gaming machine industry, there is a continuing need for gaming machine manufacturers to produce new types of games, or enhancements to existing games, which will attract frequent play by increasing the entertainment value and excitement associated with the game.

[04] One concept that has been successfully employed to enhance the entertainment value of a game is that of a "secondary" or "bonus" game which may be played in conjunction with a "basic" game. The bonus game, which is entered upon the occurrence of a selected event or outcome of the basic game, may comprise any type of game, either similar to or completely different from the basic game. Such a bonus game produces a significantly higher level of player excitement than the basic game because it provides a greater expectation of winning than the basic game.

[05] Another concept that has been employed to enhance player entertainment is the use of progressive games. In the gaming industry, a "progressive" game involves

collecting coin-in data from participating gaming device(s) (e.g., slot machines), contributing a percentage of that coin-in data to a progressive jackpot amount, and awarding that jackpot amount to a player upon the occurrence of a certain jackpot-won event. A jackpot-won event typically occurs when a “progressive winning position” is achieved at a participating gaming device. If the gaming device is a slot machine, a progressive winning position may, for example, correspond to alignment of progressive jackpot reel symbols along a certain payline. The initial progressive jackpot is a predetermined minimum amount. That jackpot amount, however, progressively increases as players continue to play the gaming machine without winning the jackpot. Further, when several gaming machines are linked together such that several players at several gaming machines compete for the same jackpot, the jackpot progressively increases at a much faster rate, which leads to further player excitement.

[06] In the existing progressive games, players compete for a progressive jackpot that is typically a monetary award. Upon winning a progressive jackpot, a player is awarded a financial sum which is usually in the form of coins, credits, or gaming machine tokens. Alternatively, a player can be awarded a non-cash prize, such as a car, for example. While the existing progressive game features provide some enhanced excitement, there is a continuing need to develop new features for progressive games to satisfy the demands of players and operators. Preferably, such new features for progressive games will further enhance the level of player excitement.

[07] Thus, the present invention is directed to satisfying the needs of players for enhanced excitement by enabling players to play for additional or increased monetary awards by awarding free game play or free play selections to a winner of a progressive jackpot.

SUMMARY OF THE INVENTION

[08] The present invention relates to a gaming terminal and a method for playing a wagering game at a gaming terminal. The wagering game is comprised of a basic game in which a progressive award can be achieved by triggering a randomly selected outcome in the basic game. The progressive award increases based on wager inputs received from players playing at one or more gaming terminals. The actual value of

the progressive award is determined by follow-up game play by a player at the gaming terminal. The follow-up game play can include one or more free plays of the basic game. The follow-up game play can also include the opportunity to play a progressive game where a player selects options in the progressive game that are associated with a monetary award. The options are different for different progressive awards that are achieved, such that a higher progressive award yields a higher expected value, which is effected by more favorable player-selectable options in the progressive game.

[09] The present invention also relates to a gaming system for a progressive game that includes a progressive game controller for controlling play of the progressive game. The progressive game controller is connected to a plurality of gaming terminals, each terminal having a basic game which can award a progressive award. The actual value of the progressive award is determined by follow-up game play by a player at the gaming terminal that has achieved the progressive award, as described above. In alternative embodiments, the random determination of whether the progressive award is achieved is not based on the outcome of the basic game, but simply after a certain amount of wager input is received.

[10] This novel progressive award feature, if achieved, allows a player to continue playing at the gaming terminal without having to make a wager input. This increases player excitement by providing more playing time at the gaming terminal and more opportunities to win.

[11] The above summary of the present invention is not intended to represent each embodiment or every aspect of the present invention. The detailed description and figures will describe many of the embodiments and aspects of the present invention.

BRIEF DESCRIPTION OF THE DRAWINGS

[12] The foregoing and other advantages of the invention will become apparent upon reading the following detailed description and upon reference to the drawings.

[13] FIG. 1 illustrates a gaming terminal that is useful for operating an enhanced progressive game in accordance with the present invention.

[14] FIG. 2 illustrates a control system that is used in conjunction with the gaming terminal of FIG. 1.

[15] FIG. 3 illustrates a plurality of gaming terminals that are useful for operating an enhanced progressive game having progressive awards in accordance with the present invention.

[16] FIG. 4 illustrates a gaming terminal displaying a basic game having a progressive-award outcome in accordance with the present invention.

[17] FIG. 5 illustrates a first embodiment of a progressive game having a display with player-selectable options in accordance with the present invention.

[18] FIG. 6 illustrates a second embodiment of a progressive game having a display with player-selectable options in accordance with the present invention.

[19] While the invention is susceptible to various modifications and alternative forms, specific embodiments have been shown by way of example in the drawings and will be described in detail herein. It should be understood, however, that the invention is not intended to be limited to the particular forms disclosed. Rather, the invention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the invention as defined by the appended claims.

DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

[20] FIG. 1 shows a perspective view of a typical gaming terminal 10 used by gaming establishments, such as casinos. With regard to the present invention, the gaming terminal 10 may be any type of gaming terminal and may have varying structures and methods of operation. For example, the gaming terminal 10 may be a mechanical gaming terminal configured to play mechanical slots, or it may be an electromechanical or electrical gaming terminal configured to play a video casino game, such as blackjack, slots, keno, poker, etc.

[21] The gaming terminal 10 includes input devices, such as a wager acceptor 16, a touch screen 21, a push-button panel 22, and a player-identification card reader 24. For outputs, the gaming terminal 10 includes a main display 26 for displaying information about the basic wagering game. The main display 26 can also display information about a progressive wagering game. The gaming terminal 10 also includes a progressive game display 25 for displaying one or more award amounts of a progressive game. While these typical components found in the gaming terminal 10 are described below, it should be understood that numerous other elements may exist

and may be used in any number of combinations to create various forms of a gaming terminal.

[22] The wager acceptor 16 may be provided in many forms, individually or in combination. The wager acceptor 16 may include a coin slot acceptor or a note acceptor to input value to the gaming terminal 10. Or, the wager acceptor 16 may include a card-reading device for reading a card that has a recorded monetary value with which it is associated. The card may also authorize access to a central account, which can transfer money to the gaming terminal 10.

[23] The push button panel 22 is typically offered, in addition to the touch screen 21, to provide players with an option on how to make their game selections. Alternatively, the push button panel 22 provides inputs for one aspect of operating the game, while the touch screen 21 allows for inputs needed for another aspect of operating the game.

[24] The operation of the basic wagering game is displayed to the player on the main display 26. The main display 26 can also display a progressive game associated with a basic wagering game. The main display 26 may take the form of a cathode ray tube (CRT), a high resolution LCD, a plasma display, LED, or any other type of video display suitable for use in the gaming terminal 10. As shown, the main display 26 includes a touch screen 21 overlaying the entire monitor (or a portion thereof) to allow players to make game-related selections. Alternatively, the gaming terminal 10 may have a number of mechanical reels to display the game outcome.

[25] The player-identification card reader 24 allows for the identification of a player by reading a card with information indicating his or her true identity. Currently, the identification is used by casinos for rewarding certain players with complimentary services or special offers. For example, a player may be enrolled in the gaming establishment's players' club and may be awarded certain complimentary services as that player collects points in his or her player-tracking account. The player inserts his or her card into the player-identification card reader 24, which allows the casino's computers to register that player's wagering at the gaming terminal 10.

[26] A player begins play of the basic wagering game by inserting a wager input into the wager input acceptor 16 of the gaming terminal 10. A player can select play by either using the touch screen 21 or push-button panel 22. The basic game consists of a plurality of symbols on reels that are displayed along a payline, yielding a

plurality of outcomes of the basic game. Such outcomes are randomly selected. One of the plurality of randomly selected outcomes is a progressive-award outcome. The progressive-award outcome of the basic wagering game can also include other variations of symbols such that different levels of progressive awards can be achieved.

[27] The progressive-award outcome awards a player a progressive award. Initially, the progressive award lacks an actual value. Instead, the progressive award has an expected value that is the dollar amount that should be won by a player, on average in the long term, in exact accordance with the statistical advantage of the wagering games played at the gaming terminal. In a first embodiment of the present invention, the progressive award is a number of free plays or spins of the basic wagering game. The number of free spins awarded to a player is determined by the outcome of the basic game. Once a player plays one or more of the free spins of the basic game, the player is awarded the monetary value associated with the randomly selected outcomes of those free spins. Thus, the progressive award subsequently achieves an actual value that is determined by follow-up game play. The free spins or plays may also yield a non-monetary value based on outcomes of the free spins (*i.e.*, a car or other non-cash prize), or even no value at all. In each case, however, the progressive award achieves an actual value, even if that value is zero.

[28] As shown in FIGS. 1 and 3, the progressive award can have multiple award amounts. For example, the progressive game display 25 of the gaming terminal shown in FIG. 1 shows three levels of a progressive award (*i.e.*, “Grand,” “Major” and “Minor”), each associated with a different award amount (*i.e.*, 12, 10 and 8 free spins). Initially, the number of free plays or spins associated with a progressive award is determined by a minimum number of free plays or spins (*i.e.*, the “startup values”). The minimum number of free plays or spins may be the same or different for each progressive award. For example, the minimum number of free plays or spins can be determined to be 5 for each progressive award. Alternatively, the minimum number of free plays or spins can be determined to be 5, 25 and 50 for a first, second and third progressive award. In addition, a maximum number of free plays or spins can be determined for each progressive award. The maximum number of free plays or spins can also be the same or different for each progressive award. For example, the maximum number of free plays or spins can be determined to be 25 for each

progressive award or, alternatively, the maximum number of free plays or spins can be determined to be 25, 50 and 100 for a first, second and third progressive award.

[29] A progressive award can also be associated with a multiplier value. The multiplier value can be used to multiply a monetary award obtained from free game play by the multiplier value. Thus, a player's winnings can be increased as a result of the multiplier value. The multiplier value can be the same or different for different progressive awards. As an example, the multiplier value for a first, second and third progressive award can be 3, 5 and 7.

[30] In addition to the multiplier being a fixed value, the multiplier may increment as a function of the wager input, just as the free spins of the progressive award increment upwardly. The multiplier's increment could be independent of, or dependent on, the incrementing of the free spins that are achieved by the progressive award.

[31] As shown in FIG. 2, the various components of the gaming terminal 10 are controlled by a central processing unit (CPU) 30 (such as a microprocessor or microcontroller). To provide the gaming functions, the CPU 30 executes a game program. The CPU 30 is also coupled to or includes a system memory 32. The system memory 32 may comprise a volatile memory 33 (e.g., a random-access memory (RAM)) and a non-volatile memory 34 (e.g., an EEPROM). It should be appreciated that the CPU 30 may include one or more microprocessors. Similarly, the memory 32 may include multiple RAM and multiple program memories.

[32] Communications between the peripheral components of the gaming terminal 10 and the CPU 30 occur through input/output (I/O) circuits 35a. As such, the CPU 30 also controls and receives inputs from the peripheral components of the gaming terminal 10. Further, the CPU 30 communicates with external systems via the I/O circuits 35b. Although the I/O circuits 35 may be shown as a single block, it should be appreciated that the I/O circuits 35 may include a number of different types of I/O circuits.

[33] The gaming terminal 10 is typically operated as part of a game control network 40 having control circuitry and memory devices. The gaming terminal 10 often has multiple serial ports, each port dedicated to providing data to a specific host computer system that performs a specific function (e.g., accounting system, player-tracking system, progressive game control system, etc). To set up a typical serial

communication hardware link to the host system, the typical RS-232 point-to-point communication protocol that is often present in the gaming terminal 10 is converted to an RS-485 (or RS-485-type) master-slave protocol so as to take advantage of some of the advantages of the RS-485 capability (e.g., multi-drop capability that allows many gaming terminals 10 to communicate with the game control network 40). To perform this function, a custom interface board may be used by the gaming terminal 10 for each communication port in the gaming terminal 10. It should be noted that the gaming terminal 10 can initially be designed to be configured for a typical RS-485 protocol, instead of the typical RS-232 protocol. Further, the gaming terminal 10 may simply be designed for an Ethernet connection to the game control network 40. The game control network 40 can be the progressive game controller that controls operation of the progressive game, as described below.

[34] FIG. 3 illustrates a plurality of gaming terminals 10a, 10b, 10c, 10d that can be used for operating the enhanced progressive game as displayed on signage 90 with multiple progressive awards 92, 94, 96. The plurality of gaming terminals 10a, 10b, 10c, 10d may be coupled to a progressive game controller 99 that controls the overall function of the progressive game. The progressive game controller 99 increases the progressive award based on wager inputs that are received at the plurality of gaming terminals 10a, 10b, 10c, 10d. The progressive game controller 99 also controls the signage 90. In response to a progressive-award outcome in a basic game, the progressive game controller awards the progressive award, which may include free plays or spins of the basic game, or a chance to play a progressive game, as described, for example, in FIGS. 5-6.

[35] The progressive game displays 25a, 25b, 25c, 25d that are attached to each of the plurality of gaming terminals 10a, 10b, 10c, 10d can display an amount of the single highest progressive award (here, the “Grand”) or all of the progressive awards (here, the “Grand,” “Major” or “Minor”). As the amount of the progressive awards increase, the progressive game controller changes the values of the progressive awards on the signage 90 and the gaming terminals 10a, 10b, 10c, 10d.

[36] FIG. 4 illustrates a progressive-award outcome 27 which is associated with five identical symbols displayed and aligned on a selected payline on the main display 26 of the basic game. Once the progressive-award outcome is achieved, the player is awarded some type of follow-up play that has an expected value. As the progressive

award increases, as displayed on the progressive game display 25, the expected value increases. This increased expected value may manifest itself in awarding additional spins of the basic game or through some varied game play of a progressive game that is activated in response to the progressive-award outcome being achieved, as described below.

[37] Because the progressive awards provide an award as defined by an integer (*i.e.*, 12, 13, 14 free spins), each of the progressive game displays 25a, 25b, 25c, 25d can include a display for displaying incremental values between the integers. FIG. 4 shows the incremental value display 28 having portions of the display partially shaded in accordance with the incremental value. The incremental value is the fraction of a free game between the jackpot value displayed on the progressive game display and the next whole number value. For example, the incremental value can be increasing from a value of 1/100 of a free game to 99/100 of a free game, and then start over with the next whole number jackpot value. The incremental value increases (*i.e.*, from 1/100 to 99/100) as the players of the progressive game continue to deposit wager inputs. In another embodiment, the incremental value display 28 does not show the actual value as it increases, but simply shows images giving the impression that the jackpot value is increasing, such as a rotating barber's poll.

[38] Another way in which a progressive game does not award "actual value," but "expected value" requiring follow-up play, is the use of a progressive game that requires player inputs. In this embodiment, the present invention includes a basic wagering game and a progressive game that must be played after the basic game yields a progressive-award outcome. The progressive game is presented to a player when he or she achieves a progressive-award outcome in the basic wagering game. The progressive game can include a player-selectable grid of options, wherein some of the options are associated with a value. Other options are game-terminating options that end play of the progressive game. The player is allowed to select an option which is revealed to the player upon selection. If the selected option is associated with a value, the player is then awarded the value of the option. If a game-terminating option is selected, then the progressive game is terminated. A player can be allowed to continue selecting options until a game-terminating option is selected. Thus, several options associated with a value may be selected by a player, which increases the actual value of the progressive award, before a game-terminating option is selected.

[39] For example, FIGS. 5 and 6 illustrate embodiments of the present invention wherein a player has been awarded a better chance to achieve a better financial award in a progressive game as a result of the player achieving a better progressive-award outcome in the basic game. FIGS 5 and 6 each illustrate a progressive game having a grid 42 with 30 player-selectable options. Each grid option is associated with one of a plurality of numbers or symbols that represents a game-terminating option (here, a “party pooper” symbol). The options with numbers can be multiplier values for increasing a financial award obtained by the player. In FIG. 5, the grid option that corresponds to the first row, second column, has a “10” value. This means that a player’s financial award is ten credits. The player-selectable options can also be associated with game-terminating options, such as the “party pooper” symbol. Once a player makes a selection associated with one of these “party pooper” symbols, the game is terminated. As described above, a player can be allowed to continue to select player-selectable options with value until he or she selects a “party pooper” symbol that terminates game play.

[40] The progressive game of FIG. 5 shows a baseline progressive game that is achieved when a player wins a progressive-award outcome in the basic game. The baseline progressive game of FIG. 5 shows a grid 42 containing, for example, a total of twelve “party pooper” symbols. As the progressive-award amounts as shown on the progressive game displays 25 (or signage 90) continue to increase with additional wager inputs at the progressive gaming terminals, the number of “party pooper” symbols can continue to decrease in an incremental value to the next whole number value. For example, the twelve “party pooper” symbols of the progressive game shown in FIG. 5 can increment down to eleven “party pooper” symbols and continue incrementing down until it reaches the number of “party pooper” symbols contained in the progressive game of FIG. 6, which has only six “party pooper” symbols. The number of “party pooper” symbols can continue incrementing down until only one or even zero “party pooper” symbols are contained in the progressive game. This allows a player to have a better chance in the progressive game of selecting a value associated with a financial award (*i.e.*, a higher expected value). As a result, this increases the excitement level of a player because he or she knows that he or she has a better chance of avoiding game-terminating options so as to increase the value of the progressive

game. As with the first embodiment of FIGS. 1-4, it is clear that the follow-up game play dictates the actual value of the progressive award.

[41] Each of the progressive awards can be associated with a progressive game having a different number of game-terminating symbols. For example, a "Minor" progressive award can be associated with a baseline progressive game having twelve game-terminating options. A "Major" progressive award can be associated with a baseline progressive game having eight game-terminating options. And a "Grand" progressive award can be associated with a baseline progressive game that has only five game-terminating options. Each of the progressive awards having a progressive game then increments down from the baseline number of game-terminating options to one or even zero game-terminating options.

[42] Alternatively, the progressive-award outcome that is achieved in the basic game may trigger different progressive games, which may or may not include player-selectable options, that are associated with different progressive award amounts (*i.e.*, "Grand," "Major" and "Minor"). For example, the progressive game can simply be a second type of slot-machine game with reel symbols, math, and themes that are different from those in the basic game. After the progressive award has been triggered, the images of the different progressive award amounts (*i.e.*, "Grand," "Major" and "Minor") on the progressive game display 25 are temporarily terminated and the slot-machine progressive game is then displayed on the progressive game display 25. Thus, the various gaming terminals in a bank that are competing for the progressive award can have different themes and game-play features, but still play the same progressive game if the progressive award is triggered. As with the previous examples, the progressive award subsequently achieves an actual value (which may be zero) that is determined by follow-up game play.

[43] Thus far, the progressive award of the present invention has been described as being triggered based on a player achieving a progressive-award outcome in the basic game. Another possibility for awarding the progressive award is to perform a random selection that dictates whether the progressive award is won after each credit (or a certain number of credits) is wagered in the basic game (the "credit-triggering mechanism").

[44] In one embodiment of the credit-triggering mechanism, after a player plays the basic game, each of the credits that a player wagers in the basic game is used to

determine if a progressive award has been won. For each credit played, a separate random determination is made to establish if a progressive award has been triggered for each progressive award level. When a progressive award has been won, each credit that remains is used to determine whether the player is awarded a consolation prize. In this example, the progressive award can only be won once per game cycle, but the consolation prize can be won multiple times. The consolation prize may be, for example, two free spins in the basic game, or some fixed credit value.

[45] In another embodiment of the credit-triggering mechanism, after a player plays the basic game, each of the credits that a player wagers in the basic game is used to determine if the progressive award has been won. For each credit played, a single determination is made to determine if any of the multiple progressive awards is triggered. If a progressive award has been won, each credit that remains after the progressive award has been won is used to determine the particular progressive award level that is won (e.g., Grand, Major, Minor). For example, if a 200 credit wager is made, the progressive game controller will check 200 times whether a progressive award will be triggered. If a progressive award is triggered on the 78th time, then the remaining 122 credits will be used to determine which progressive award level is won.

[46] In yet another embodiment of this mechanism, a progressive award can be triggered only after a player has wagered a certain wager amount. For example, the possibility of achieving a progressive award is triggered only after a player has bet the number of credits that is equivalent to \$5.00. Thus, a player who is wagering \$1.00 on a basic game would have to play five games to trigger the possibility of winning a progressive award.

[47] While the present invention has been described with reference to one or more particular embodiments, those skilled in the art will recognize that many changes may be made thereto without departing from the spirit and scope of the present invention. For example, this novel progressive award feature having an expected value can be combined with traditional progressive awards having an actual value (e.g., one award level has an "expected value," as described above, while a second award level has an "actual value"). Each of these embodiments and obvious variations thereof is contemplated as falling within the spirit and scope of the claimed invention, which is set forth in the following claims.

WHAT IS CLAIMED IS:

1. A gaming terminal for playing a wagering game, comprising:
 - a basic game having a plurality of symbols that indicate a randomly selected outcome of said basic game, said randomly selected outcome being
5 selected in response to a wager input by a player; and
 - a progressive game feature having a progressive award that is triggered by a predetermined event, said progressive award increasing based on said
10 wager input being received at said gaming terminal and other wager inputs being received from other gaming terminals, said progressive award has an actual value determined by follow-up game play by said
player at said gaming terminal.
2. The gaming terminal of claim 1, wherein said follow-up game play is one or
15 more free spins of the basic game.
3. The gaming terminal of claim 2, wherein said predetermined event is said randomly selected outcome in said basic game being a progressive-award outcome.
- 20 4. The gaming terminal of claim 2, wherein the number of said free spins of the basic game yields a monetary or non-monetary value associated with randomly selected outcomes of said free spins of said basic game.
5. The gaming terminal of claim 2, wherein the number of said free spins of the
25 basic game has a minimum number of free spins.
6. The gaming terminal of claim 2, wherein the number of said free spins of the basic game has a maximum number of free spins.
- 30 7. The gaming terminal of claim 1, wherein said progressive award is associated with a multiplier value, said multiplier value increases the value of a monetary award achieved in said follow-up game play.

8. The gaming terminal of claim 1, wherein said predetermined event is a selection of a progressive-award outcome from a plurality of progressive game outcomes that are randomly selectable in response to receiving said wager input.
- 5 9. The gaming terminal of claim 1, wherein said progressive award is measured in integers and increases by an incremental value for each wager input, said incremental value being a fraction of the integers associated with said progressive award.
- 10 10 The gaming terminal of claim 1, wherein said follow-up game play is a progressive game that is played by said player in response to said predetermined event being triggered.
11. The gaming terminal of claim 10, wherein said progressive game includes a
15 player-selectable grid of options.
12. The gaming terminal of claim 11, wherein said player-selectable grid of options has options associated with value and game-terminating options.
- 20 13. The gaming terminal of claim 12, wherein said options associated with value include multiplier values for increasing the value of a monetary award.
14. The gaming terminal of claim 12, wherein said number of game-terminating options changes as said progressive award changes.
- 25 15. The gaming terminal of claim 14, wherein said number of game-terminating options decreases as said progressive award increases.
16. The gaming terminal of claim 1, wherein said progressive game feature has
30 multiple progressive awards that are determined by follow-up game play by said player at said gaming terminal.

17. The gaming terminal of claim 1, wherein said actual value may be zero based on said follow-up game play.

18. A gaming terminal for playing a wagering game, comprising:

5 a basic game having a plurality of symbols that indicate a randomly selected outcome of said basic game, said randomly selected outcome being selected in response to a wager input by a player, wherein one of said randomly selected outcomes includes a progressive-award outcome that yields a progressive award, said progressive award increasing
10 based on said wager input being received at said gaming terminal and other wager inputs being received from other gaming terminals; and wherein said progressive award initially lacks an actual value when awarded to said player, but has an expected value such that said player may later achieve one of a plurality of actual values.

15 19. The gaming terminal of claim 18, wherein said one of said plurality of actual values is determined by free game play of said basic game.

20. The gaming terminal of claim 18, wherein one of said plurality of actual values
20 is determined by the playing of a progressive game by said player in response to said player achieving said progressive-award outcome.

21. The gaming terminal of claim 18, wherein one of said plurality of actual values
25 is zero.

22. A gaming terminal for playing a wagering game, comprising:

a basic game having a plurality of symbols that indicate a randomly selected outcome of said basic game, said randomly selected outcome being selected in response to a wager input, wherein one of said randomly
30 selected outcomes includes a progressive-award outcome that yields a progressive award, said progressive award increasing based on said wager input being received at said gaming terminal and other wager inputs being received from other gaming terminals; and

wherein said progressive award includes one or more free plays of said basic game.

23. The gaming terminal of claim 22, wherein a total number of said free plays of said basic game is associated with an amount of said progressive award that is achieved by said player.

24. The gaming terminal of claim 23, wherein said amount of said progressive award is determined by said randomly selected outcome of said basic game.

25. The gaming terminal of claim 22, wherein said one or more free plays can achieve a monetary value of zero.

26. A gaming terminal for playing a wagering game, comprising:
a basic game having a plurality of symbols that indicate a randomly selected outcome of said basic game, said randomly selected outcome being selected in response to a wager input; and
a progressive game with a progressive award that changes based on said wager input being received at said gaming terminal and other wager inputs being received from other gaming terminals, said progressive game being triggered by a player achieving a progressive-award outcome in said basic game, said progressive game having a player-selectable grid of options, some of said options being associated with value and some of said options terminating play of said progressive game, wherein said options are determined by an amount of said progressive award that is achieved by said player.

27. The gaming terminal of claim 26, wherein said options associated with value include a multiplier for increasing the monetary value of said progressive award.

28. The gaming terminal of claim 26, wherein the number of said options terminating play of said progressive game changes as said progressive award changes.

29. The gaming terminal of claim 28, wherein the number of said options terminating game play of said progressive game decreases as said progressive award increases.
- 5 30. The gaming terminal of claim 26, wherein said progressive award can result in a monetary value of zero.
31. A method for playing a wagering game, comprising:
conducting a basic game having a plurality of symbols that indicate a randomly
10 selected outcome selected from a plurality of outcomes, said plurality of outcomes including a progressive-award outcome, said randomly selected outcome being selected in response to a wager input by a player;
in response to said randomly selected outcome being said progressive-award
15 outcome, providing to a player a progressive award, said progressive award changing based on said wager input being received at said gaming terminal and other wager inputs being received from other gaming terminals, said progressive award having an actual value determined by follow-up game play by said player at said gaming
20 terminal;
allowing said player to engage in said follow-up game play; and
awarding to said player said actual value in response to outcomes achieved in said follow-up game play.
- 25 32. The method of claim 31, wherein said allowing said player to engage in said follow-up game play includes providing said player with one or more free spins of said basic game.
33. The method of claim 31, wherein said allowing said player to engage in said
30 follow-up game play includes providing said player with a progressive game that is played by said player in response to said player achieving said progressive-award outcome.

34. The method of claim 31, wherein said plurality of outcomes includes a second progressive-award outcome and further comprising, in response to said randomly selected outcome being said second progressive-award outcome, providing to a player a second progressive award, said second progressive award increasing based on said
5 wager input being received at said gaming terminal and other wager inputs received from other gaming terminals, said second progressive award being different from said progressive award and being determined by follow-up game play by said player at said gaming terminal.
- 10 35. A gaming system having a progressive game having a progressive award, comprising:
- a progressive game controller for controlling said progressive game;
 - a plurality of gaming terminals coupled to said progressive game controller,
each of said gaming terminals having a basic game having a plurality
15 of symbols that indicate a randomly selected outcome of said basic game; and
 - wherein said progressive game controller changes said progressive award based on wager inputs being received at said plurality of gaming terminals and, in response to a predetermined event being triggered,
20 said progressive game controller awarding said progressive award, said progressive award having an actual value determined by follow-up game play by a player at said one of said plurality of gaming terminals.
36. The gaming system of claim 35, wherein said follow-up game play is one or
25 more free spins of said basic game.
37. The gaming system of claim 35, wherein said follow-up game play is a progressive game that is played by said player in response to said predetermined event being triggered.
- 30 38. The gaming system of claim 35, wherein said progressive game includes a second progressive award, said second progressive award increasing based on said wager inputs being received at said plurality of gaming terminals, said second

progressive award being different from said progressive award and being determined by follow-up game play by a player at one of said gaming terminals.

39. The gaming system of claim 35, further comprising signage connected to said plurality of gaming terminals, said signage including a display for displaying said progressive award.

40. The gaming system of claim 39, wherein said signage displays multiple progressive awards.

41. The gaming system of claim 35, wherein said predetermined event occurs when said randomly selected outcome of said basic game at one of said plurality of gaming terminals is said progressive-award outcome.

42. The gaming system of claim 35, wherein said predetermined event is a selection of a progressive-award outcome by said progressive game controller, said progressive-award outcome being one of a plurality of progressive game outcomes that are selectable by said progressive game controller in response to receiving a wager input at one of said plurality of gaming terminals.

43. A method of playing a progressive wagering game having a progressive award, comprising:

conducting a basic game at a plurality of gaming terminals in response to receiving wager inputs;

changing said progressive award in response to said wager inputs received at said plurality of gaming terminals; and

in response to a randomly selected outcome being a progressive-award outcome, awarding said progressive award to a player, said progressive award having an actual value determined by follow-up game play by said player at said gaming terminal.

44. The method of claim 43, further comprising the step of allowing said player to engage in said follow-up game play.

45. The method of claim 44, wherein said follow-up game play is free plays of said basic game.

46. The method of claim 43, further comprising the step of awarding to said player
5 said actual value in response to outcomes achieved in said follow-up game play.

47. The method of claim 43, wherein said randomly selected outcome is a progressive-award outcome achieved in said basic game.

48. The method of claim 43, wherein said randomly selected outcome is an
10 outcome that is not selected during said basic game.

49. The method of claim 48, wherein said randomly selected outcome is determined by a progressive-game controller that is external to said plurality of
15 gaming terminals.

50. The method of claim 48, wherein said randomly selected outcome is determined after a preselected wager amount is received at one of said plurality of gaming terminals.

51. The method of claim 50, wherein said preselected wager amount is the maximum wager amount at said plurality of gaming terminals.

52. The method of claim 50, further including, in response to said wager input
25 being more than said preselected wager amount and said progressive award being awarded, using a remainder of said wager input to determine if a consolation prize is won.

53. The method of claim 50, wherein said progressive award has multiple levels
30 and further including, in response to said wager input being more than said preselected wager amount and said progressive award being awarded, using a remainder of said wager input to determine a level of said progressive award that is awarded.

ABSTRACT

A wagering game is comprised of a basic game and a progressive award. The progressive award increases based on wager inputs received from players playing at one or more gaming terminals. The actual value of a progressive award is determined by follow-up game play by a player at the gaming terminal. The follow-up game play
5 can include one or more free plays of the basic game. The follow-up game play can also include the opportunity to play a progressive game where a player selects options in the progressive game that are associated with a monetary award. The options are different for different progressive awards that are achieved, such that a higher progressive award yields a higher expected value, which is effected by more favorable
10 player-selectable options in the progressive game.

1/5




Fig.1

2/5





Fig.2

3/5

Fig. 3



4/5




Fig.4

5/5

42

PARTY POOPER	10	4	5	20	PARTY POOPER
1	3	PARTY POOPER	PARTY POOPER	4	15
PARTY POOPER	PARTY POOPER	20	20	PARTY POOPER	20
5	5	PARTY POOPER	1	5	10
PARTY POOPER	PARTY POOPER	3	5	PARTY POOPER	PARTY POOPER

Fig.5

42

PARTY POOPER	10	4	5	20	3
1	3	2	PARTY POOPER	4	15
5	PARTY POOPER	5	15	2	5
5	5	PARTY POOPER	1	5	10
PARTY POOPER	2	3	5	2	PARTY POOPER

Fig.6